HALLGREEN® P-55 GC

HallGreen® P-55 GC is a game-changer in PVC film calendering, offering a holistic solution that elevates efficiency, quality, and sustainability

When processing PVC calendered film, the occurence of 'gas check' surface defects is a common quality problem that is costly and time consuming to fix. These flaws, often described as specks, air bubbles or flecking, loom as a significant challenge that can compromise product quality and mechanical integrity. They not only mar the film's surface but incur substantial costs due to material wastage and recycling.

Traditionally, mitigating gas checks has been a laborious journey of tweaking processing parameters or resorting to the cumbersome method of laminating thinner films together. Such endeavors are not only time consuming, but generate considerable scrap, adding to operational inefficiencies.




Enter HallGreen® P-55 GC, a cutting-edge bio-based modifier developed through a collaboration between Hallstar and the prestigious McGill University in Montreal, Canada. This proprietary chemical additive is poised to revolutionize the landscape of PVC film production by effectively eliminating gas check formation.


Incorporating HallGreen® P-55 GC into the PVC formulation at typical concentrations of around 5 parts per 100 (pph) can mitigate gas checks by an impressive 40-100%. Remarkably, this breakthrough additive exerts its influence while maintaining the inherent physical properties of the PVC film, ensuring uncompromised quality.

PVC film with gas check imperfections





PVC film using HallGreen® P-55 GC (gas checks eliminated)



HallGreen® P-55 GC offers sustainability benefits as well as quality solutions. By substantially reducing rework and scrap rates, it curtails material wastage, aligning with eco-conscious practices. Moreover, this innovative modifier facilitates the production of thicker films in a single pass, eliminating the need for multiple laminations and thereby streamlining processing time.

With a raw material composition that is remarkably 55% bio-based, HallGreen® P-55 GC exemplifies a commitment to environmentally responsible innovation. It boasts regulatory approvals from TSCA and REACH, ensuring compliance and peace of mind for operators.






Figure 1. Characterization of gas checks in PVC film through 3D microscopy

Gas checks are a prevalent issue in the production of polymer films, particularly in the flexible PVC calendering process. Calendering involves the use of precision rolls to create films with desired surface quality, thickness and width. Various studies have focused on predicting sheet thickness and pressure distribution during calendering, but limited attention has been given to understanding and mitigating surface defects. Achieving uniform shape and surface structure poses a considerable challenge to manufacturers, with surface defects like fish-eyes, air bubbles, chevrons and mattness commonly appearing.

Gas entrapment, another type of surface defect, is especially problematic, occurring most frequently when calendering thick rubber sheets. Often shaped like eggs before calendering and tadpoles afterward, these defects significantly impact product quality.

HallGreen® P-55 GC addresses this solution gap by introducing a novel approach to gas check reduction and improving the interchange between calendering factors and flexible vinyl formulation.




Figure 2. Theory of gas entrapment causing defects to form during calendering process.

Experience the future of PVC production today with HallGreen® P-55 GC. Contact us to request samples and embark on a transformative journey towards enhanced productivity and environmental stewardship.